


— Hoists —



OSD

Hydraulic Hoist



Hydraulic hoist with a width adjustable base through a lever mechanism. Suitable for both domestic and institution use. It is designed to lift patients also directly from the floor.

Technical details

Width with closed base: 65 cm
 Width with open base: 108 cm
 Length: 114 cm
 Overall Height: 139 cm
 Weight: 43 kg
 Maximum Weight Capacity: 120 kg
 Colour: blue

Product code

OSD-90000-C-T
 (w/head support sling)
 OSD-90000-C
 (w/standard sling)

Electric Hoist



Electric hoist with a width adjustable base through a pedal mechanism. Suitable for both domestic and institution use. It is designed to lift patients also directly from the floor. It is equipped with a low tension system, a removable battery pack (charging time about 12 hours), an emergency push button to lower the gas spring in case of malfunctioning and a safety lock push button to be used when moving the patient.

Technical details

Width with closed base: 65 cm
 Width with open base: 108 cm
 Length: 114 cm
 Overall Height: 139 cm
 Weight: 43 kg
 Maximum Weight Capacity: 120 kg
 Colour: blue

Product code

OSD-90010-C-T
 (w/head support sling)
 OSD-90010-C
 (w/standard sling)



Standard sling

Sling with head support



Standard sling with eyelets to adjust holding position.

Product code

OSD-90020
OSD-RMI-90020



Sling with head support and eyelets to adjust holding position. Suitable for patients with reduced head control.

Product code

OSD-90040
OSD-RMI-90040